

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Regarding: John C. Montagna et al.
Serial No. 10/696,342
Filing Date 10/29/2003
Docket No. FRAME-59X
For FULL OUT DRAWER SYSTEM

RECEIVED
CENTRAL FAX CENTER

JAN 03 2005

Supplement to Amendment

Attention: Group Art Unit 3612
Primary Examiner Joseph D. Pape
Legal Instruments Examiner Danielle Jones

Mail Stop Non-Fee Amendment
Commissioner for Patents
Alexandria, VA 22313-1450

I certify that this correspondence is facsimile-transmitted to the Patent and Trademark Office (703-872-9306) on 03 JAN 2005:

Christopher John Rudy: Christopher John Rudy Jan. 3, 2005.

Thank you for the 12/29/2004 office communication with its Notice of Non-Compliant Amendment for the matter of reference. In reply to that notice, please enter the present amendment, and reconsider and further examine this application.

SPECIFICATIONS AMENDMENTS follow this introductory page.

A new ABSTRACT OF THE DISCLOSURE concludes this paper.

This amendment more clearly, concisely, exactly and fully describes, and more readily enables a reader of the abstract to determine the nature and gist of the invention, and is fully supported by the original specification. No new matter is added.

As reported by the undersigned to Miss Jones in a recorded message left by phone on this January 3rd (703 308 2018), the Amendment that was filed on December 2, 2004 properly had the entire amended paragraph, which bridged pages 7 and 8 of the original specification, presented, and it is presented hereby again; and the ABSTRACT OF THE DISCLOSURE is presented hereby on one separate page. This is in accordance with 37 CFR 1.121(b).

Prompt and favorable action is solicited.

Respectfully,

Dated: January 3, 2005 A.D.

Attmt

Christopher John Rudy
Christopher John Rudy
PTO Registration No. 31,873
209 Huron Avenue, Suite 8
Port Huron, Michigan 48060
Telephone (810) 982-4221